

ELECTRIC BRASS BALL VALVE TYPE LYVA 2

FEATURES

The electric brass ball valve LYVA 2 is dedicated to the automatic shutt-off of small sizes fluids lines. The LYVA full bore valve, is perfect for applications such as water treatment, HVAC, industry, OEM, etc. where a traditional solenoid valve is not suitable. The operation of the actuator with 2 wires automatic position return through capacitor (RC) makes its installation and use very easy. Low power consumption. The LYVA 2 has got the CSF certificate for food contact and the french ACS certificate for use on potable water.



AVAILABLE MODELS

LYVA 2 : brass body

Sizes and connexions : G 1/2", G 3/4" et G 1".

Voltages : 24 Vac-cc, 230 Vac.

Wiring scheme : CR202, 2 wires, automatic position return through capacitor.

Power cable : 1,5 m

LIMITS OF USE

Use forbidden on groupe I gases according to CE 2014/68 directive

Use forbidden in explosive area.

Electric protection :	IP 67
PS fluid :	0 - 10 bar
ΔP max :	10 bar
TS fluid :	0°C / +90°C
TS ambient :	-10°C / +55°C



DIRECTIVES AND STANDARDS OF CONSTRUCTION


SUBJECT	Standard	SUBJECT	Standard
Pressure equipment CE 2014/68	Not submitted	Material grade	EN 1503-4
Low voltage directive CE 73/23	category I	Threaded connection	ISO 228
Food contact	NSF certificate	ACS potable water certificate	

Modifications reserved

	SECTORIEL S.A. 45 rue du Ruisseau 38290 SAINT QUENTIN-FALLAVIER – FRANCE Tél : +33 4 74 94 90 70 – Fax : +33 4 74 94 13 95 www.sectoriel.fr / Email : sectoriel@sectoriel.fr	Pages	1/3
		Ref.	FT8920 ENG
		Rev.	02
		Date	08/2018

ELECTRIC BRASS BALL VALVE TYPE LYVA 2

WIRING DIAGRAM



INSTALLATION

All positions mounting excepted horizontal with pointing down actuator.

For a use on liquids, the installation of a upstream protection strainer is recommended.

OPTIONS



Other votages 5 Vcc, 9 Vcc, 36 Vcc, 110 Vca

Other wiring schemes (see below)

Manual override

Cover without position indicator

Normaly open version (NO)



Modifications reserved

	SECTORIEL S.A. 45 rue du Ruisseau 38290 SAINT QUENTIN-FALLAVIER – FRANCE Tél : +33 4 74 94 90 70 – Fax : +33 4 74 94 13 95 www.sectoriel.fr / Email : sectoriel@sectoriel.fr	Pages	3/3
		Ref.	FT8920 ENG
		Rev.	02
		Date	08/2018